

Print Date 26.02.2025

Revision Date 26.02.2025

## RELVA GRANULES

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : RELVA GRANULES

Authorisation number : MAPP16744/PCS04924

Active substance : Propyzamide (4 %)  
EC No.: 245-951-4  
CAS No.: 23950-58-5  
IUPAC Name: 3,5-dichloro-N-(1,1-dimethylprop-2-ynyl)benzamide

Substance No. : 300000000608

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide for professional use.

#### 1.3 Details of the supplier of the safety data sheet

Address : Belcrop BV  
Tiensestraat 300  
3400 Landen  
Belgium

Telephone : +32 11 59 83 60  
Telefax : +32 11 59 83 61  
E-mail address Contact Point : info@belcrop.be

#### 1.4 Emergency telephone number

Please call the local emergency number.  
For IE only: National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)  
Emergency number in Belgium (24h/24, 7d/7): +32 11 69 79 80

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (Regulation (EC) No. 1272/2008)

Carcinogenicity, Category 2

Chronic aquatic toxicity, Category 2

H351: Suspected of causing cancer.

H411: Toxic to aquatic life with long lasting effects.

## RELVA GRANULES

### 2.2 Label elements

#### Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.  
H411 Toxic to aquatic life with long lasting effects.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements : P201 Obtain special instructions before use.  
**Prevention:**  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
Collect spillage.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## RELVA GRANULES

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

Chemical name	CAS No. EC No. Index No. Registration No.	Classification (Regulation (EC) No. 1272/2008)  M-Factor/SCL/ATE	Conc. [%]
Propyzamide	23950-58-5 245-951-4 616-055-00-4 -	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	4
<b>Substances with a workplace exposure limit</b>			
Methanol	67-56-1 200-659-6 603-001-00-X -	Flam. Liq. 2; H225 Acute Tox. 3; H301, H311, H331 STOT SE 1; H370  SCL STOT SE 1: >= 10 % SCL STOT SE 2: >= 3 % SCL STOT SE 2: < 10 %	<= 0.015
Calcium carbonate	471-34-1 207-439-9 - -	Non-hazardous	>= 92
Kaolin	1332-58-7 310-194-1 - -	Non-hazardous	>= 0.5 - <= 1

For the full text of the hazard statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled: : Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or a doctor if you feel unwell.
- In case of skin contact: : Take off contaminated clothing.  
Wash with plenty of water.  
If skin irritation occurs: Get medical advice/attention.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before reuse.
- In case of eye contact: : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
  
If eye irritation persists: Get medical advice/attention.

## RELVA GRANULES

If swallowed: : Rinse mouth.  
Call a POISON CENTER or a doctor.

### **4.2 Most important symptoms and effects, both acute and delayed**

Symptoms : No information available.

### **4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : For specialist advice physicians should contact the poisons information service.

## SECTION 5: Fire-fighting measures

### **5.1 Extinguishing media**

Suitable extinguishing media : Water  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Polyvalent foam

Unsuitable extinguishing media : Water spray jet

### **5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see Section 10).  
Exposure to decomposition products may be a hazard to health.  
Do not use a solid water stream as it may scatter and spread fire.

### **5.3 Advice for firefighters**

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Other information : Standard procedure for chemical fires.  
In the event of fire and/or explosion do not breathe fumes.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

## RELVA GRANULES

Ensure adequate ventilation.  
Refer to protective measures listed in Section 7 and 8.

### **6.2 Environmental precautions**

Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage.  
Prevent product from entering drains.  
Local authorities should be advised if significant spillages cannot be contained.

### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material.  
Shovel into suitable container for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

### **6.4 Reference to other sections**

See Section 8 for exposure controls/personal protection. See Section 13 for disposal considerations.

## SECTION 7: Handling and storage

### **7.1 Precautions for safe handling**

Advice on safe handling : Handle with care.  
Take care to avoid waste and spillage when weighing, loading and mixing the product.  
Smoking, eating and drinking should be prohibited in the application area.  
Never mix concentrates directly.  
Avoid inhalation, ingestion and contact with skin and eyes.  
Avoid formation of dust and aerosols.  
For personal protection see Section 8.  
Avoid exceeding of the given occupational exposure limits (see Section 8).

Advice on protection against fire and explosion : Use explosion-proof equipment.  
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.

### **7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Store at room temperature.  
Store in original container.  
Keep in a dry, cool and well-ventilated place.  
To maintain product quality, do not store in heat or direct sunlight.  
Keep away from food, drink and animal feeding stuffs.

## RELVA GRANULES

Keep out of reach of children.

### 7.3 Specific end use(s)

See Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Component	CAS No.	Form of exposure	Value type	Control parameters	Basis
Methanol	67-56-1	Not specified	TWA	200 ppm 260 mg/m <sup>3</sup>	IE OEL
Methanol	67-56-1	Not specified	TWA	200 ppm 266 mg/m <sup>3</sup>	GB EH40
Methanol	67-56-1	Not specified	STEL	250 ppm 333 mg/m <sup>3</sup>	GB EH40
Calcium carbonate	471-34-1	Inhalable aerosol	TWA	10 mg/m <sup>3</sup>	GB EH40
Calcium carbonate	471-34-1	Respirable aerosol	TWA	4 mg/m <sup>3</sup>	GB EH40
Kaolin	1332-58-7	Respirable aerosol	TWA	2 mg/m <sup>3</sup>	GB EH40
Kaolin	1332-58-7	Not specified	TWA	2 mg/m <sup>3</sup>	IE OEL

### 8.2 Exposure controls

#### Personal protective equipment

- Respiratory protection :
- : In the case of vapour formation use a respirator with an approved filter.  
Recommended Filter type:  
ABEK
  - : In the case of dust or aerosol formation use respirator with an approved filter.  
Recommended Filter type:  
P2FFP2

## RELVA GRANULES

- Hand protection : Protective gloves complying with EN 374.
- Eye protection : Safety glasses with side-shields conforming to EN 166.
- Skin and body protection : Long-sleeved clothing.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Store personal protection equipment in a clean location away from the work area.  
Remove and wash contaminated clothing and gloves, including the inside, before re-use.  
Keep away from food and drink.  
Wash hands before eating, drinking, or smoking.
- Protective measures : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing.  
Always have on hand a first-aid kit, together with proper instructions.

### Environmental exposure controls

- General advice : Discharge into the environment must be avoided.  
Prevent further leakage or spillage.  
Prevent product from entering drains.  
Local authorities should be advised if significant spillages cannot be contained.
- Soil : Avoid subsoil penetration.
- Water : Do not flush into surface water or sanitary sewer system.  
Retain and dispose of contaminated wash water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : Granules
- Colour : Beige
- Odour : Musty
- Flash point : Not applicable

## RELVA GRANULES

Ignition temperature	: > 400 °C
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Explosive properties	: Not explosive
Flammability	: The product is not highly flammable.
Oxidising properties	: Not oxidising
Decomposition temperature	: No data available
pH	: 8 - 9 Conc.: 1 % (as aqueous solution)
Melting point/melting range	: No data available
Boiling point/boiling range	: Not applicable
Vapour pressure	: No data available
Density	: 1.5 g/cm <sup>3</sup>
Relative density	: No data available
Bulk density	: 1.5 kg/m <sup>3</sup>
Solubility in water	: No data available
Partition coefficient n-octanol/water	: Log Pow: 3.27 at pH 7 at 25 °C (Active substance)
Kinematic viscosity	: Not applicable
Relative vapour density	: Not applicable
Particle size	: No data available

### **9.2 Other information**

No additional information available.



Print Date 26.02.2025

Revision Date 26.02.2025

## RELVA GRANULES

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

None known.

#### 10.4 Conditions to avoid

Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

None.

#### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.  
Other hazardous decomposition products may be formed.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

##### Acute toxicity

##### Component

Acute oral toxicity  
Propyzamide : LD50 Oral: > 5,000 mg/kg  
23950-58-5 Species: Rat  
Remarks: Single dose

##### Component

Acute inhalation toxicity  
Propyzamide : LC50: > 2.1 mg/l  
23950-58-5 Exposure time: 4 h

##### Component

Acute dermal toxicity  
Propyzamide : LD50 Dermal: > 2,000 mg/kg  
23950-58-5 Species: Rat  
Remarks: 24 h

## RELVA GRANULES

### Skin corrosion/irritation

#### Component

Skin irritation  
Propyzamide  
23950-58-5 : Species: Rabbit  
Results: Mild skin irritation  
Exposure time: 4 h

### Serious eye damage/eye irritation

#### Component

Eye irritation  
Propyzamide  
23950-58-5 : Species: Rabbit  
Results: No eye irritation  
Remarks: Single dose

### Respiratory or skin sensitization

#### Component

Sensitisation  
Propyzamide  
23950-58-5 : Test type: Maximisation Test  
Species: Guinea pig  
Results: Did not cause sensitization on laboratory animals.

### Germ cell mutagenicity

#### Component

Propyzamide  
23950-58-5 : Animal testing did not show any mutagenic effects.

### Carcinogenicity

Propyzamide  
23950-58-5 : Species: Rat  
Exposure time: 2 yr  
NOAEL: 8.5 mg/kg bw/day

### Reproductive toxicity

#### Component

Reproductive toxicity - Assessment

Propyzamide  
23950-58-5 : Experiments have shown reproductive toxicity effects in male  
and female laboratory animals.

### Specific target organ toxicity - single exposure

#### Component

Print Date 26.02.2025

Revision Date 26.02.2025

## RELVA GRANULES

Propyzamide : Remarks: No data available  
23950-58-5

### Specific target organ toxicity - repeated exposure

#### Component

Propyzamide : Remarks: No data available  
23950-58-5

### Aspiration hazard

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Other information

#### Component

Propyzamide  
23950-58-5  
Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Component

Toxicity to fish

Propyzamide : LC50: > 4.7 mg/l  
23950-58-5 Exposure time: 96 h  
Species: Oncorhynchus mykiss (Rainbow trout)

#### Component

Toxicity to daphnia and other aquatic invertebrates.

Propyzamide : EC50: > 12 mg/l  
23950-58-5 Exposure time: 48 h  
Species: Daphnia magna (Water flea)

Print Date 26.02.2025

Revision Date 26.02.2025

## RELVA GRANULES

### Component

Toxicity to algae and aquatic plants

Propyzamide : ErC50: 2.88 mg/l  
23950-58-5 Exposure time: 72 h  
Species: Selenastrum capricornutum

ErC50: 0.021 mg/l  
Exposure time: 14 d  
Species: Myriophyllum spicatum

### 12.2 Persistence and degradability

#### Component

Stability in soil

Propyzamide : Percentage dissipation: 50 % (DT50: 195.2 d)  
23950-58-5

### 12.3 Bioaccumulative potential

#### Component

Bioaccumulation

Propyzamide : Species: Fish  
23950-58-5 Bioconcentration factor (BCF): 48

#### Component

Partition coefficient n-octanol/water

Propyzamide : Log Pow: 3.27 (25 °C)  
23950-58-5 pH: 7  
Remarks: (Active substance)

### 12.4 Mobility in soil

#### Component

Distribution among environmental compartments

Propyzamide : Medium: Soil  
23950-58-5 Koc: 1626  
Koc unit: mL/g

### 12.5 Results of PBT and vPvB assessment

#### Product

## RELVA GRANULES

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product**

Additional ecological information : No additional information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with the European Directives on waste and hazardous waste.  
Dispose of in accordance with local regulations.  
The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Triple rinse containers.  
Do not re-use empty containers.  
Store containers and offer for recycling of material when in accordance with the local regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 3077  
IMDG : UN 3077  
IATA : UN 3077

### 14.2 UN proper shipping name


ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Propyzamide)  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

## RELVA GRANULES


**IATA** : N.O.S.  
(Propyzamide)  
: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Propyzamide)

### 14.3 Transport hazard class(es)


**ADR** : 9



**IMDG** : 9



**IATA** : 9



### 14.4 Packing group

**ADR**  
Packing group : III  
Hazard identification No : 90  
Labels : 9  
Tunnel restriction code : (-)  
Limited quantity : 5.00 KG

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 956  
Maximum quantity : 400.00 KG  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous dangerous substance or article

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 956  
Maximum quantity : 400.00 KG

## RELVA GRANULES

Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous dangerous substance or article

### 14.5 Environmental hazards

#### **ADR**

Environmentally hazardous : Yes

#### **IATA (Passenger)**

Environmentally hazardous : Yes

#### **IATA (Cargo)**

Environmentally hazardous : Yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Major Accident Hazard Legislation : Legislation on the control of major-accident hazards involving dangerous substances  
Seveso E2

#### **SEVESO**

SEVESO category: Hazardous to the Aquatic Environment in Category Chronic 2

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## SECTION 16: Other information

### **Full text of hazard statements referred to under Section 2 and 3.**

H225 Highly flammable liquid and vapour.  
H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H331 Toxic if inhaled.  
H351 Suspected of causing cancer.

## RELVA GRANULES

### Full text of other abbreviations

ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; ATE – Acute toxicity estimate; BCF - Bioconcentration factor; bw – Body weight; EC number – European Community number; ECx – Concentration associated with x % response; EmS – Emergency Schedule; ErCx – Concentration associated with x % growth rate response; GLP – Good Laboratory Practice; IATA – International Air Transport Association; IC50 – Half maximal inhibitory concentration; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50 % of a test population (Median Lethal Dose); M-factor – Multiplying factor; N.O.S. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; OECD – Organization for Economic Co-operation and Development; OEL – Occupational exposure limit; PBT – Persistent, Bioaccumulative and Toxic substance; SCL – Specific Concentration Limit; TWA – Time-weighted average; UFI – Unique formula identifier; UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

### Other information

Other information : Update of section 1.4

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.